SAFETY DATA SHEET



Revision date: 19-Jul-2022

Revision Number 1.1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SCOTTS OSMOCOTE PLUS TRACE ELEMENTS CACTI & SUCCULENTS

Product Code(s) 000000068007

Other means of identification

UN number 2071

Recommended use of the chemical and restrictions on use

Recommended use Fertiliser.

Uses advised against No information available.

Supplier

Evergreen Garden Care Australia Pty Ltd 31 003 126 162 Building E, Level 2, 24-32 Lexington Drive Bella Vista, NSW, 2153 Australia

Telephone Number: +61 (2) 8602 9000

Facsimile: +61 (2) 8602 9001

Emergency telephone number

Emergency telephone number 1800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Fertilisers meeting the descriptions of UN 2071 are not subject to to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail for transport by road. Dangerous Goods only when transported by air or sea.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| Skin corrosion/irritation | Category 3 |
|-----------------------------------|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Acute aquatic toxicity | Category 2 |
| Chronic aquatic toxicity | Category 2 |

Revision Number 1.1

SIGNAL WORD

Warning

Label elements

Exclamation mark





Hazard statements

H316 - Causes mild skin irritation

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash hands thoroughly after handling

Wear protective gloves / protective clothing / eye protection / face protection

Avoid release to the environment

Precautionary Statements - Response

IF exposed:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation occurs: Get medical advice/attention

Collect spillage

Precautionary Statements - Storage

No storage statements

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No. | Weight-% |
|---------------------|-----------|----------|
| Ammonium nitrate | 6484-52-2 | 30-60% |
| Urea | 57-13-6 | 1-<10% |
| Magnesium oxide | 1309-48-4 | 1-<10% |
| Sulfur | 7704-34-9 | 1-<10% |
| Copper (II) sulfate | 7758-98-7 | <1% |
| Other component(s) | - | to 100% |

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. If exposed or

concerned: Get medical advice/attention.

Revision Number 1.1

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with soap and plenty of water. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing MediaCoarse water spray, Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible solid. Environmentally hazardous. Thermal decomposition can lead to release

of irritating and toxic gases and vapors.

Hazardous combustion products Carbon oxides. Nitrogen oxides. Ammonium nitrate fumes.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code 1Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes, and clothing. Avoid breathing dust or spray mist. Avoid

generation of dust. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Remove ignition sources. Provide adequate ventilation. Prevent further leakage or spillage

Revision Number 1.1

if safe to do so. Prevent dust cloud. Cover with plastic sheet to prevent spreading.

Methods for cleaning up Cover with damp absorbent (inert material, sand or soil). Use appropriate personal

protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Prevent product and washings from entering drains, sewers or surface water due to high toxicity to aquatic organisms.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Avoid generation of dust.

General hygiene considerations Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

sources of heat or ignition.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

| Chemical name | Australia | ACGIH TLV |
|---------------------|-----------|-------------------------------------------|
| Copper (II) sulfate | | TWA: 1 mg/m ³ Cu dust and mist |
| 7758-98-7 | | |

Magnesium oxide (fume): 8hr TWA = 10 mg/m³ Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and

Revision Number 1.1

the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.









Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protectionWear suitable protective clothing.

Hand protection Wear suitable gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls Avoid creating dust. Do not allow into any sewer, on the ground or into any body of water.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateSolidAppearanceGranulesColorBrown / Tan

OdorNo information available.Odor thresholdNo information available.

PropertyValuesRemarks • MethodpHNo data availableNone knownpH (as aqueous solution)No data availableNone known

pH (as aqueous solution) Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known No data available Vapor density None known Relative density No data available None known Water solubility Partially soluble None known Solubility(ies) No data available None known Partition coefficient No data available None known

Revision Number 1.1

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid Avoid dust generation.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation Irritating to respiratory system.

Eye contact Causes eye irritation.

Skin contact Causes mild skin irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Symptoms No information available.

Numerical measures of toxicity - Product Information

Revision Number 1.1

No information available.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------|------------------------------------------|-------------------------|-----------------------|
| Ammonium nitrate | = 2217 mg/kg (Rat) | - | > 88.8 mg/L (Rat) 4 h |
| Urea | = 8471 mg/kg (Rat) | - | - |
| Magnesium oxide | = 3990 mg/kg (Rat) = 3870 mg/kg (Rat) | - | - |
| Sulfur | > 3000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 9.23 mg/L (Rat)4 h |
| Copper (II) sulfate | = 300 mg/kg (Rat) | = 1000 mg/kg (Rabbit) | - |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Mild Irritant. Classification is based on mixture calculation methods based on component

data.

Serious eye damage/eye irritation Irritating to eyes. Classification is based on mixture calculation methods based on

component data.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

| ſ | Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---|------------------|----------------------|--------------------------|----------------|-----------------------|
| | | | | microorganisms | |
| | Ammonium nitrate | - | LC50: 65 - 85mg/L (48h, | - | - |
| | | | Cyprinus carpio) | | |
| ſ | Urea | - | LC50: 16200 - | - | EC50: =3910mg/L (48h, |
| | | | 18300mg/L (96h, Poecilia | | Daphnia magna) EC50: |
| | | | reticulata) | | >10000mg/L (24h, |
| | | | · | | Daphnia magna Straus) |
| Ī | Sulfur | - | LC50: =866mg/L (96h, | - | - |

Revision Number 1.1

| | | Brachydanio rerio) LC50: <14mg/L (96h, Lepomis macrochirus) LC50: >180mg/L (96h, Oncorhynchus mykiss) | | |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------|---|------------------------------------------------------|
| Copper (II) sulfate | - | LC50: =0.1mg/L (96h, Oncorhynchus mykiss) | - | EC50: 0.0058 - 0.0073mg/L (48h, Daphnia magna) |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

| Chemical name | Partition coefficient |
|------------------|-----------------------|
| Ammonium nitrate | -3.1 |
| Urea | -1.59 |

Mobility

Mobility in soil No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

ADG

products

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Fertilisers meeting the descriptions of UN 2071 are not subject to to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail for transport by road. Dangerous Goods only when transported by air or sea.

UN number 2071

Proper shipping name AMMONIUM NITRATE BASED FERTILIZER

Hazard class 9
Packing group III
Hazchem code 1Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 2071

UN proper shipping name AMMONIUM NITRATE BASED FERTILIZER

Transport hazard class(es) 9

Revision Number 1.1

Packing group

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 2071

UN proper shipping name AMMONIUM NITRATE BASED FERTILIZER

Transport hazard class(es) 9
Packing group III
IMDG EMS Fire F-H
IMDG EMS Spill S-Q

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Fertilisers meeting the descriptions of UN 2071 are not subject to to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail for transport by road. Dangerous Goods only when transported by air or sea.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

| Chemical name | National pollutant inventory |
|---------------------------------|-------------------------------------------|
| Urea - 57-13-6 | 20 MW Threshold category 2b total |
| | 60000 MWH Threshold category 2b total |
| | 1 tonne/h Threshold category 2a total |
| | 25 tonne/yr Threshold category 1a total |
| | 400 tonne/yr Threshold category 2a total |
| | 2000 tonne/yr Threshold category 2b total |
| Magnesium oxide - 1309-48-4 | 10 tonne/yr Threshold category 1 fume |
| | 2000 tonne/yr Threshold category 2b fume |
| | 60000 MWH Threshold category 2b fume |
| | 20 MW Threshold category 2b fume |
| Copper (II) sulfate - 7758-98-7 | 10 tonne/yr Threshold category 1 |
| | 2000 tonne/yr Threshold category 2b |
| | 60000 MWH Threshold category 2b |
| | 20 MW Threshold category 2b |

International Inventories

All the constituents of this material are either listed on the Australian Inventory of Chemical

Substances (AICS) or have been assessed under the National Industrial Chemicals

(Notification and Assessment) Act 1989 as amended.

Legend:

Revision Number 1.1

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 11/2019

Reason(s) For Issue: Change to Transport Information

Issuing Date: 19-Jul-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

Revision Number 1.1

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet